



ANIMAL-CENTRIC LIGHTING SYSTEMS

TEC-3000, TULEX Extension Cable



- *Rugged cable jacket*
- *Compatible with TULEX tube lights*
- *Water-tight connector*

Invest in the quality of your lighting system

There are several factors when shopping for the best lighting systems that ensure success when raising animals commercially, including animal well-being and performance, uniform light distribution, total dimmability, high efficiency, energy savings, maximum durability and lifespan of the products. The TEC-3000 extension cable is utilized between TULEX tube lights to provide optimal light spacing, which offers these features and more.

Visit our website for more information: www.once.lighting

Specifications and Ordering

TEC-3000, TULEX Extension Cable Specifications

Warranty period	3 years
HS-Code	85444290
Country of origin	People's Republic of China

Ordering Information

TEC-3000, TULEX Extension Cable	929002100311
---------------------------------	--------------

Operating and Mechanical Specifications

Operating temperature	-10°C to 40°C / 14°F to 104°F
Connection	3x 14AWG, female-plug R/C(QMFZ2) and male- plug R/C(QMFZ2)
Diameter	Cable 19mm, connector 25mm
Height	-
Length	3000mm
Width	-
Mount	Wire suspension
Housing material	SJTW
Color	Light Gray

Safety and Certifications

CE mark	Yes
RoHS compliant	Yes
ANSI/UL STD 1598 and 8800	-
Can/CSA STD C22.2 NO 250.0	-
UL50E	-
ESĈ	-
ENEC	-
CB	-
SASO (Saudi Arabia)	-
NOM (Mexico)	-
CCC (China)	-
ANATEL (Brazil)	-
Local Certifications	-
Flammability mark	-
IK impact rating	-
IP code	-

© 2020 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

Revised 06 /2020 Data subject to change